

KX-TDA200/100 Rendszer

(Ver.1.0)

Panasonic Communications Co., Ltd.

Network Business Company

1.1 kiadás, 2003-Jan-27

3.fejezet Rendszer jellemzők és Funkciók

1. Rendszer jellemzők	3/27
2. Funkciók	8/27

1. Rendszer jellemzők(1/5)

(Rendszer-1)

Megnevezés	TDA100	TDA200
Bérlő csoport (Tenant)	8	8
Szolgáltatási osztály (COS)	64	64
Fővonal csoport (TGrp)	64	64
Személykereső csoport(Paging)	32	32
Hívás átvét.csoport(Call Pickup)	64	64
Bejövő hívás elosztási (ICD) csoport	64(32MELLÉK)	64(32MELLÉK)
Keresési csoport (Hunting)	64(16MELLÉK)	64(16MELLÉK)
Hangposta(DPT) csoport	2	2
Hangposta(DTMF) csoport	2	2
Időtábla sorban álláshoz(Queuing)	64	64
Üzenethagyás (Absent Msg)	9	9
Üzenetjelzés (Msg Waiting)	256	256
Név hossza (karakter)	20	20
Mellékszám hossza (digit)	1- 4	1- 4
Hívás parkoló zóna (Call Park)	100	100
SMDR (Hívás adatok)	200	200

1. Rendszer jellemzők(2/5)

(Rendszer-2)

Megnevezés	TDA100	TDA200
Konferencia	3X10 - 8X4(32CNFT)	3 résztv.X10 – 8 résztv.X4
Ellenőrzött kód (Verified)	10digit,1000 db	10digit, 1000 db
Szolgáltató kód (Carrier)	16digit, 20 db	16digit, 20 db
PBX hozzáfér.kód(Host PBX)	10digit, 4 db/Föv.csop	10digit, 4 db/Föv.csop.
DDI/DID Tábla	16digit, 1000 db	16digit, 1000 db

1. Rendszer jellemzők(3/5)

(Tárcsázás)

Megnevezés	TDA100	TDA200
Vészhívás (Emergency)	32digit, 10 db	32digit, 10 db
Gyorshívás (Quick)	1-4digit, 80 db	1-4digit, 80 db
Rendszer gyorstárcs.(SSD)	32digit, 1000 db	32digit, 1000 db
Mellék gyorstárcs. (STA)	32digit, 10 db/mellék	32digit, 10 db/mellék
Egygombos hívás	32digit	32digit
Forródrót hívás (Pickup)	32digit	32digit
„Key Pad protocol” hívás	32digit	32digit
Újrahívás	32digit	32digit

1. Rendszer jellemzők(4/5)

(ARS/LCR, Hálózat kialakítás, Híváskorlátozás)

Megnevezés	TDA100	TDA200
Útvonal tábla (Routing Plan)	16	16
Kezdő számjegy (Leading digit)	10digit, 1000 db	10digit, 1000 db
Kivétel kezdő számjegy	200 db	200 db
ARS/LCR szolgáltató (carrier)	10	10
Elszámoló kód (Itemized)	5digit	5digit
Jogosító kód (Authorization)	20digit	20digit
TIE Útvonal tábla (Routing)	32 db	32 db
Kezdő számjegy (Leading)	3digit	3digit
PBX kód	7digit	7digit
Híváskorlátozási szint (Toll Rest.)	7	7
Híváskorlátozás – tiltó kód	7digit,100 db/szint	7digit, 100 db/szint
Híváskorlátozás - kivétel kód	16digit, 200 db	16digit, 200 db

1. Rendszer jellemzők(5/5)

(Költség felügyelet, Hívás Info (Log), Hangposta, Jelszó)

Megnevezés	TDA100	TDA200
Díj megadás (Rate)	8digit	8digit
Pénznem megadás	3 karakter	3 karakter
Költség rekord, Hotel-nek	1000	2000
Hívás Info (Log)- kimenő hívás	0-100 log/mellék MAX. 640 log/Rendsz.	0-100 log/mellék MAX. 640 log/Rendsz.
Hívás Info (Log)- bejövő hívás	0-100 log/mellék MAX. 1280 log/Rendsz.	0-100 log/mellék MAX. 1280 log/Rendsz.
Hívás Info (Log) - bejövő hívás - ICD csoport	0-100 log/mellék MAX. 640 log/Rendsz.	0-100 log/mellék MAX. 640 log/Rendsz.
VPS(DPT) rendszerek száma	2 rendszer	2 rendszer
VPS(DPT) csatornák száma	24csatorna	24csatorna
Hangpostafiók – digitek száma	16digit	16digit
Rendszer jelszó (Telepítő)	4-10digit	4-10digit
Rendszer jelszó (Felhasználó)	4-10digit	4-10digit
Manager jelszó	4-10digit	4-10digit
Mellékállomás PIN	0-10digit/mellék	0-10digit/mellék

2. Funkciók(1/19)

Incoming Call Features	TDA	TD500	TD1232CE	TD1232G
Direct In Lines (DIL)	Yes	Yes	Yes	Yes
Direct Inward Dialing (DID) / Direct Dialing Inward (DDI)	Yes	Yes	Yes	Yes
Multiple Subscriber Numbers (MSN) Ringing Service	Yes	Yes	Yes	Yes
Calling Line Identification Distribution (CLI)	Yes			
Intercept Routing - No Answer	Yes	Yes		
Intercept Routing - Busy/DND	Yes	Yes		
Intercept Routing – No Destination	Yes	Yes		
Collect Call Block	Yes	Yes		
Alternate Receiving - Ring/Voice	Yes	Yes	Yes	Yes
Trunk Answer from Any Station (TAFAS)	Yes	Yes	Yes	Yes
Caller ID (Caller's Information)	Yes	Yes		
Ringing Pattern and Type Selection	Yes	Yes	Yes	Yes
Call Waiting	Yes	Yes	Yes	Yes
Visual Caller ID	Yes			

Visual Caller ID : Called number is displayed with Call Waiting of analog CO while talking with the telephone

2. Funkciók(2/19)

Group Receiving Features	TDA	TD500	TD1232CE	TD1232G
Station Hunting (Circular, Terminated)	Yes	Yes	Yes	Yes
Incoming Group Receiving Features	Yes	Yes	Yes	Yes
Uniform Call Distribution (UCD)	Yes	Yes	Yes	Yes
Hunting Group	Yes	Yes	Yes	Yes
Priority Ring Group	Yes	Yes	Yes	Yes
Delayed Ringing	Yes	Yes		
Queuing Function	Yes	Yes	Yes	Yes
Hurry-Up Transfer	Yes			Yes
VIP-Call	Yes			
Busy on Busy	Yes			
Overflow Function	Yes	Yes	Yes	Yes
Log-In/Log-Out	Yes	Yes	Yes	Yes
Wrap-up	Yes			
Supervisory Functions	Yes	Yes		
FWD/DND Features				
Call Forwarding	Yes	Yes	Yes	Yes
All Calls	Yes	Yes	Yes	Yes
Busy	Yes	Yes	Yes	Yes
Busy/No Answer	Yes	Yes	Yes	Yes
No Answer	Yes	Yes	Yes	Yes
Follow Me	Yes	Yes	Yes	Yes
From Incoming Group	Yes			Yes
Do Not Disturb (DND)	Yes	Yes	Yes	Yes
DND Override	Yes	Yes	Yes	Yes

2. Funkciók(3/19)

Answering Features	TDA	TD500	TD123CE	TD1232G
Direct One-Touch Answering	Yes	Yes	Yes	Yes
Line Preference – Incoming	Yes	Yes	Yes	Yes
No	Yes	Yes	Yes	Yes
Prime	Yes	Yes	Yes	Yes
Ringing	Yes	Yes	Yes	Yes
Call Pickup Directed	Yes	Yes	Yes	Yes
Call Pickup Group		Yes	Yes	Yes
Call Pickup Desired Group	Yes			
DSS	Yes			Yes
Deny	Yes	Yes	Yes	Yes
Hands-free Answerback - Intercom	Yes	Yes	Yes	Yes
Hands-free Answerback - Outside call	Yes			

Hands-free Answerback : Auto answer for the CO incoming Call

2. Funkciók(4/19)

Making Call Features	TDA	TD500	TD1232CE	TD1232G
Pre – Dialing	Yes			Yes
Automatic Station Release	Yes	Yes	Yes	Yes
Line Preference – Outgoing Intercom / Idle / No / Prime	Yes	Yes	Yes	Yes
Automatic Callback Busy	Yes	Yes	Yes	Yes
Executive Busy Override	Yes	Yes	Yes	Yes
Hidden Call Monitor	Yes			
Intercom Call	Yes	Yes	Yes	Yes
Alternate Calling - Ring/Voice	Yes	Yes	Yes	Yes
Operator Call	Yes	Yes	Yes	Yes
BSS	Yes	Yes	Yes	Yes
Whisper OHCA	Yes	Yes	Yes	Yes
OHCA	Yes	Yes	Yes	Yes
Trunk Access	Yes	Yes	Yes	Yes
Idle	Yes	Yes	Yes	Yes
Single CO	Yes	Yes	Yes	Yes
Trunk Group	Yes	Yes	Yes	Yes
Host PBX Access	Yes	Yes	Yes	Yes
Special Carrier Access	Yes	Yes	Yes	Yes
Emergency Call	Yes	Yes	Yes	Yes
Account Code Entry	Yes	Yes	Yes	Yes
Dial Type Selection	Yes	Yes	Yes	Yes
Tone-Pulse Conversion	Yes	Yes	Yes	Yes
Automatic Pause Insertion	Yes	Yes	Yes	Yes

2. Funkciók(5/19)

Memory Dialing Features	TDA	TD500	TD1232CE	TD1232G
Incoming Call Log	Yes	Yes	Yes	Yes
Outgoing Call Log	Yes	Yes	Yes	Yes
Telephone Directory	Yes	Yes	Yes	Yes
One-Touch Dialing	Yes	Yes	Yes	Yes
Notebook Function	Yes (V1.1)			Yes
Redial, Last Number	Yes	Yes	Yes	Yes
Automatic Redial	Yes	Yes	Yes	Yes
Speed Dialing - Station/System	Yes	Yes	Yes	Yes
Pickup Dialing	Yes	Yes	Yes	Yes
Quick Dialing	Yes	Yes	Yes	Yes
Toll Restriction Features				
Toll Restriction	Yes	Yes	Yes	Yes
Special Carrier Access	Yes	Yes	Yes	Yes
Host PBX Access Code	Yes	Yes	Yes	Yes
Emergency Call	Yes	Yes	Yes	Yes
TRS Override by System Speed Dialing	Yes	Yes	Yes	Yes
Budget Management	Yes	Yes	Yes	Yes
Electronic Station Lock	Yes	Yes	Yes	Yes
Remote Station Lock Control	Yes	Yes	Yes	Yes
Dial Tone Transfer	Yes	Yes		
Walking COS	Yes	Yes	Yes	Yes
Verified Call	Yes	Yes	Yes	Yes

Notebook Function : To input dial while talking the telephone and to preserve dial information

2. Funkciók(6/19)

ARS/LCR Features	TDA	TD500	TD1232CE	TD1232G
ARS/LCR	Yes	Yes	Yes	Yes
Conversation Features				
Hands-free Operation	Yes	Yes	Yes	Yes
Off-Hook Monitor	Yes	Yes	Yes	Yes
Mute (Microphone/Handset Microphone)	Yes	Yes	Yes	Yes
Handset/Headset Selection	Yes	Yes	Yes	Yes
Data Line Security	Yes	Yes	Yes	Yes
Flash / Terminate	Yes	Yes	Yes	Yes
External Feature Access	Yes	Yes	Yes	Yes
Trunk Line Call Limitation Extension-to-Trunk Line Call Duration Time	Yes	Yes	Yes	Yes
Trunk Line Call Limitation Trunk-to-Trunk Line Call Duration Time	Yes	Yes	Yes	Yes
Trunk Line Call Limitation Budget Management	Yes	Yes	Yes	Yes
Trunk Line Call Limitation Dialing Digit Restriction during Conversation	Yes	Yes	Yes	
Paralleled Telephone (APT/DPT+SLT)	Yes	Yes	Yes	Yes
Calling Party Control (CPC) Signal Detection	Yes	yes	Yes	Yes
Calling Party Control (CPC) Signal for SLT (Extension CPC)	Yes (V1.1)	Yes		

2. Funkciók(7/19)

Transferring Features	TDA	TD500	TD1232CE	TD1232G
Call Transfer	Yes	Yes	Yes	Yes
Transfer Recall	Yes	Yes	Yes	Yes
Holding Features				
Exclusive Call Hold	Yes	Yes	Yes	Yes
Call Hold Retrieve	Yes	Yes	Yes	Yes
Hold Recall	Yes	Yes	Yes	Yes
Automatic Call Hold	Yes	Yes		
One-Touch Hold & Paging	Yes (V1.1)			
Call Park	Yes	Yes	Yes	Yes
One-Touch Park & Paging	Yes (V1.1)			
Call Splitting	Yes	Yes	Yes	Yes
Music on Hold	Yes	Yes	Yes	Yes

2. Funkciók(8/19)

Conference Features	TDA	TD500	TD1232CE	TD1232G
Executive Busy Override	Yes	Yes	Yes	Yes
3-pty Conference	Yes	Yes	Yes	Yes
Multi party Conference	Yes			
Unattended Conference	Yes	Yes	Yes	Yes
Privacy Release	Yes	Yes	Yes	Yes
Paging Features	Yes	Yes	Yes	Yes
Paging	Yes	Yes	Yes	Yes
Deny	Yes	Yes	Yes	Yes
Paging Transfer	Yes	Yes	Yes	Yes
Forced Paging	Yes (V1.1)			
Forced Paging with Message	Yes (V1.1)			
Optional Equipment Features				
Door-phone Call	Yes	Yes	Yes	Yes
Door Opener	Yes	Yes	Yes	Yes
Trunk Answer from Any Station (TAFAS)	Yes	Yes	Yes	Yes
External Relay	Yes 1.1)	Yes		Yes
External Sensor	Yes (V1.1)	Yes		Yes
Background Music (BGM)	Yes	Yes	Yes	Yes
External BGM	Yes	Yes	Yes	Yes
Direct Inward System Access (DISA)	Yes	Yes	Yes	
DISA Multi Step AA	Yes			
Trunk-to-Trunk Call Prolong Time	Yes	Yes	Yes	
Greeting Message	Yes	Yes	Yes	Yes
Message(DISA) Card	Yes	Yes	Yes	Yes

2. Funkciók(9/19)

Caller ID Features	TDA	TD500	TD1232CE	TD1232G
Incoming Call Log	Yes	Yes	Yes	Yes
Incoming Call Log Display Lock	Yes	Yes	Yes	Yes
Phone Book Display Lock	Yes			
Message Features				
Message Waiting Own extension	Yes	Yes	Yes	Yes
Message Waiting Other extension	Yes	Yes		
Message Waiting Incoming Call Distribution Group	Yes			
Absent Message Capability - System (8)	Yes	Yes	Yes	Yes
Absent Message Capability - Extension (1)	Yes			

2. Funkciók(10/19)

Proprietary Telephone Features	TDA	TD500	TD1232CE	TD1232G
Fixed Buttons	Yes	Yes	Yes	Yes
Flexible Buttons	Yes	Yes	Yes	Yes
LED Indication	Yes	Yes	Yes	Yes
Information Display	Yes	Yes	Yes	Yes
Call Information Display	Yes	Yes	Yes	Yes
Self-Extension Number Display	Yes	Yes	Yes	Yes
Time and Date Display	Yes	Yes	Yes	Yes
Time Mode Display	Yes	Yes	Yes	Yes
Duration Time Display	Yes	Yes	Yes	Yes
Charge Display	Yes	Yes	Yes	Yes
Multi-lingual Display	Yes	Yes	Yes	Yes
System Feature Access Menu	Yes	Yes	Yes	Yes
Telephone Directory	Yes	Yes	Yes	Yes
Speed Dialing Directory (System/Station)	Yes	Yes	Yes	Yes
Extension Directory	Yes	Yes	Yes	Yes
Outgoing Call Log	Yes	Yes	Yes	Yes
DSS Console	Yes	Yes	Yes	Yes
ANSWER and RELEASE Button Operation	Yes	Yes	Yes	Yes

2. Funkciók(11/19)

ISDN Service Features	TDA	TD500	TD1232CE	TD1232G
ISDN	Yes	Yes	Yes	Yes
End of Dialing Recognition (For National ISDN PRI)	Yes	Yes		
Call Transfer by ISDN Network	Yes			
Call Waiting – ISDN				
Conference – ISDN Network	Yes (V1.1)			
Conference – ISDN Extension	Yes			
ISDN Centrex Service	Yes	Yes	Yes	Yes
ISDN Service Access	Yes	Yes	Yes	Yes
Advice Of Charge (AOC)	Yes	Yes	Yes	Yes
Call Forwarding by ISDN (P-MP)	Yes	Yes		Yes
Call Forwarding by ISDN (P-P)	Yes			
Calling/Connected Line Identification Presentation (CLIP/COLP)	Yes	Yes	Yes	Yes
Connected Line Identification Restriction (COLR)	Yes	Yes		Yes
Calling Line Identification Restriction (CLIR)	Yes	Yes	Yes	Yes
Malicious Call Identification (MCID)	Yes	Yes	Yes	Yes
Completion of Calls to Busy Subscriber (CCBS)	Yes		Yes	Yes
ISDN Extension	Yes	Yes	Yes	Yes

2. Funkciók(12/19)

Voice Mail Features	TDA	TD500	TD1232CE	TD1232G
Voice Mail Group	Yes	Yes	Yes	Yes
Voice Mail DTMF Integration	Yes	Yes	Yes	Yes
Call Forwarding to Mailbox	Yes	Yes	Yes	Yes
Intercept Routing to Mailbox	Yes	Yes	Yes	Yes
Transferring to Mailbox	Yes	Yes	Yes	Yes
Listening to a Recorded Message (Direct Mailbox Access)	Yes	Yes	Yes	Yes
AA Service Mode Switch	Yes	Yes	Yes	Yes
Voice Mail DTMF Command	Yes	Yes	Yes	Yes
Voice Mail DTMF Status Notification	Yes	Yes	Yes	Yes
One-Touch Voice Mail Feature Access	Yes	Yes	Yes	Yes
Voice Mail Transfer	Yes	Yes	Yes	Yes
Voice Mail DPT Integration	Yes	Yes	Yes	Yes
Automatic Configuration - Quick Setup	Yes	Yes	Yes	Yes
Call Forwarding to Mailbox	Yes	Yes	Yes	Yes
Intercept Routing to Mailbox	Yes	Yes	Yes	Yes
Transferring to Mailbox	Yes	Yes	Yes	Yes
Listening to a Recorded Message (Direct Mailbox Access)	Yes	Yes	Yes	Yes
VPS Trunk Service for DDI/MSN	Yes			
Automatic Multi Time Mode Notification	Yes			
VPS Transfer Recall (VPS Queuing Function)	Yes (V1.1)			
Caller's Identification Notification to VPS	Yes	Yes	Yes	Yes
Status Notification to VPS	Yes	Yes	Yes	Yes
Paging by VPS	Yes	Yes	Yes	Yes
Live Call Screening (LCS)	Yes	Yes	Yes	Yes
Two-Way Recording into Voice Mail	Yes	Yes	Yes	Yes
VPS Data Control by PBX	Yes (V1.1)			
Remote PBX Data Control by VPS	Yes	Yes		

2. Funkciók(13/19)

Hotel Application Features	TDA	TD500	TD1232CE	TD1232G
Hotel Application Features	Yes	Yes	Yes	Yes
Message Waiting	Yes	Yes	Yes	Yes
Quick Dialing	Yes	Yes	Yes	Yes
Forced Paging with Message	Yes(V1.1)			
Dial Tone Transfer	Yes	Yes		
Pickup Dialing	Yes	Yes	Yes	Yes
BGM	Yes	Yes	Yes	Yes
Room Status Control	Yes(V1.1)	Yes	Yes	Yes
Check-In	Yes(V1.1)	Yes	Yes	Yes
Check-Out	Yes(V1.1)	Yes	Yes	Yes
Charge Management	Yes(V1.1)	Yes	Yes	Yes
Cleaned Up	Yes(V1.1)	Yes	Yes	Yes
Remote Timed Reminder (Wake-Up Call)	Yes(V1.1)	Yes	Yes	Yes
Wake-up Call, Remote	Yes(V1.1)	Yes	Yes	Yes
Wake-up Call, Alert	Yes(V1.1)	Yes	Yes	Yes
Room Monitor	Yes(V1.1)	Yes		
Room to Room Call Block	Yes			
SMDR for Hotel Application	Yes(V1.1)	Yes	Yes	Yes

2. Funkciók(14/19)

DECT Portable Station Features	TDA	TD500	TD1232CE	TD1232G
Wireless System Connection	Yes		Yes	Yes
Handover	Yes		Yes	Yes
PS Ring Group	Yes			Yes
SXDP (APT/DPT/SLT+PS)			Yes	Yes
Wireless XDP Parallel Mode (APT/DPT/SLT+PS)	Yes			

2. Funkciók(15/19)

Administrative Information Output Features	TDA	TD500	TD1232CE	TD1232G
SMDR	Yes	Yes	Yes	Yes
Charge Meter	Yes	Yes	Yes	Yes
Extension Controlling Features	Yes	Yes	Yes	Yes
Station Password	Yes			
Station Program Clear	Yes	Yes	Yes	Yes
Walking Station	Yes	Yes	Yes	Yes
Timed Reminder	Yes	Yes	Yes	Yes
Remote Station Password Clear	Yes	Yes	Yes	Yes
Remote Station Lock Control	Yes	Yes	Yes	Yes
Remote Station Control by User	Yes			
Remote Station Control by Manager	Yes (V1.1)			
Computer Telephony Interface (CTI) Features				
CTI	Yes	Yes	Yes	Yes
PC Console	Yes	Yes		

2. Funkciók(16/19)

Networking Features	TDA	TD500	TD1232CE	TD1232G
E1 Line Service	Yes	Yes		
T1 Line Service	Yes	Yes		
Off Premise Extension (OPX)	Yes	Yes		
TIE Line Service	Yes	Yes	Yes	Yes
TIE Caller ID Display	Yes	Yes	Yes	Yes
VPN	Yes	Yes		
QSIG Connection	Yes	Yes		
VoIP Network(Built-in IP-GW)	Yes			
Networking Features	Yes	Yes	Yes	Yes
Closed Numbering	Yes	Yes	Yes	Yes
Tandem Connection	Yes	Yes	Yes	Yes
Alternated Routing	Yes	Yes		
Private Network to Public Network	Yes	Yes	Yes	Yes
Public Network to Private Network	Yes	Yes	Yes	Yes
Transfer to Network PBX	Yes	Yes	Yes	Yes
Call Forwarding	Yes			
Conference	Yes	Yes	Yes	Yes
Display Name/Numbers	Yes			
DISA call to the network	Yes	Yes	Yes	Yes
Toll Restriction for call from TIE to CO	Yes			

2. Funkciók(17/19)

System Configuration	TDA	TD500	TD1232CE	TD1232G
Paralleled Telephone Connection	Yes	Yes	Yes	Yes
XDP	Yes	Yes	Yes	Yes
System Memory Expansion	Yes (V1.1)			
System Management				
Class of Service (COS)	Yes	Yes	Yes	Yes
Walking COS	Yes	Yes	Yes	Yes
Group	Yes	Yes	Yes	Yes
Trunk Group	Yes	Yes	Yes	Yes
Extension Group		Yes	Yes	Yes
Call Pickup Group	Yes			
Paging Group	Yes	Yes		
Incoming Group (Hinting Group)	Yes	Yes		Yes
VPS (DTMF) Group	Yes	Yes	Yes	Yes
VPS (DPT) Group	Yes	Yes	Yes	Yes
Tenant Service	Yes	Yes		
Time Service	Yes	Yes	Yes	Yes
Operator Functions	Yes	Yes	Yes	Yes
Manager Functions	Yes	Yes	Yes	Yes
System Working Report (Traffic Measurement)	Yes	Yes	Yes	Yes

2. Funkciók(18/19)

System Data Control	TDA	TD500	TD1232CE	TD1232G
PC Programming	Yes	Yes	Yes	Yes
Password Level	Yes	Yes		
PT Programming	Yes	Yes	Yes	Yes
Automatic Setup	Yes	Yes		
Quick Setup	Yes			
Automatic ISDN Setting	Yes			
Automatic Time Adjusting	Yes	Yes	Yes	Yes
Numbering Plan	Yes	Yes	Yes	Yes
Automatic Extension Number Assignment	Yes	Yes		
Flexible Numbering	Yes	Yes	Yes	Yes
Software Upgrading	Yes			
MPR Software Download	Yes			
Card & CS Software Download	Yes			
Language Data Download	Yes	Yes		

2. Funkciók(19/19)

Fault Recovery/Diagnosis	TDA	TD500	TD1232CE	TD1232G
Power Failure Transfer	Yes	Yes	Yes	Yes
Power Failure Transfer for ISDN Line	Yes			
Power Failure Restart	Yes	Yes	Yes	Yes
Error Log	Yes	Yes	Yes	Yes
Online Diagnostics	Yes	Yes	Yes	Yes
Remote Alarm	Yes			
Local Alarm	Yes	Yes	Yes	Yes